

Page ↓
Corrigendum

Name of work: Construction of roads with interlocking paver blocks and construction of rainwater drainage system including connection of PVC pipes with existing rainwater pipes of all blocks of The Talagang Co-op Group Housing Society Ltd, Neelkanth Apartment, Sector 13, Rohini, Delhi.

In Part-A of Schedule of Quantity,


Item No. 16:

Providing and laying factory made chamfered edge Cement Concrete paver blocks In foot path, park & lawns driveway or light & traffic parking etc. of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of course sand, compacting and proper embedding/ laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand, all complete as per manufacturer's specifications & direction of Engineer in-Charge. 80mm thick Cement concrete paver block of **M-30** grade with approved colour, design & pattern.

May be Read as:

Item No. 16:

Providing and laying factory made chamfered edge Cement Concrete paver blocks In foot path, park & lawns driveway or light & traffic parking etc. of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of course sand, compacting and proper embedding/ laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand, all complete as per manufacturer's specifications & direction of Engineer in-Charge. 80mm thick Cement concrete paver block of **M-35** grade with approved colour, design & pattern.



In Part-B of Schedule of Quantity

Item No. 9, 10 &11:

Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings. This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge : External work .(150, 200 & 250) mm nominal inner dia. Pipes.

May be read as:

Providing and laying Polyvinyl Chloride (PVC) pipes to be used ISI marked of Working Pressure. 4 Kg/sqcm . This includes jointing of pipes & fittings with one step PVC solvent cement, testing of joints complete as per direction of MC: External work . (150, 200 & 250)mm nominal inner dia. Pipes.

Due to some time constraints to some of the members, the **tender opening time is postponed from 3:30pm to 7:00pm on 30.12.2024** rest of the conditions and rates are same

